



DIMENSIONAL

Versão Básica Standard



øCIL	øHaste	AM	øD	EE	F	K	L	L1	L2	L3	L4	N	R	R1	SW	Sw1	WH
32	12	22	30	G 1/8"	32,5	6	94	16	4	29	19,5	47	M10x1,25	M6x1	10	17	26
40	16	24	35	G 1/4"	38	7	105	16	4	29,5	22	53,5	M12x1,25	M6x1	13	19	30
50	20	32	40	G 1/4"	46,5	8	106	16	4	32,5	29	64,5	M16x1,5	M8x1,25	17	24	37
63	20	32	45	G 3/8"	56,5	8	121	16	4	39	29	78	M16x1,5	M8x1,25	17	24	37
80	25	40	45	G 3/8"	72	9	128	18	4	39	35	95,5	M20x1,5	M10x1,5	22	30	46
100	25	40	55	G 1/2"	89	9	138	18	4	44	35	114,5	M20x1,5	M10x1,5	22	30	51
125	32	54	60	G 1/2"	110	14	160	22	10	44,5	41	143	M27x2	M12x1,75	27	38,1	65

Haste Passante




øCIL	øHaste	AM	øD	EE	F	K	L	L1	L2	L3	L4	N	R	R1	SW	Sw1	WH
32	12	22	30	G 1/8"	32,5	6	94	16	4	29	19,5	47	M10x1,25	M6x1	10	17	26
40	16	24	35	G 1/4"	38	7	105	16	4	29,5	22	53,5	M12x1,25	M6x1	13	19	30
50	20	32	40	G 1/4"	46,5	8	106	16	4	32,5	29	64,5	M16x1,5	M8x1,25	17	24	37
63	20	32	45	G 3/8"	56,5	8	121	16	4	39	29	78	M16x1,5	M8x1,25	17	24	37
80	25	40	45	G 3/8"	72	9	128	18	4	39	35	95,5	M20x1,5	M10x1,5	22	30	46
100	25	40	55	G 1/2"	89	9	138	18	4	44	35	114,5	M20x1,5	M10x1,5	22	30	51
125	32	54	60	G 1/2"	110	14	160	22	10	44,5	41	143	M27x2	M12x1,75	27	38,1	65

Série NCP ISO 15552 Tirantado ø32 à 125mm


DIMENSIONAL

Dimensional Versão Sanfona



øCIL	øHaste	AM	øD	EE	F	K	L	L1	L2	L3	L4	N	R	R1	SW	Sw1	WH
32	12	22	30	G 1/8"	32,5	6	94	16	4	29	19,5	47	M10x1,25	M6x1	10	17	26
40	16	24	35	G 1/4"	38	7	105	16	4	29,5	22	53,5	M12x1,25	M6x1	13	19	30
50	20	32	40	G 1/4"	46,5	8	106	16	4	32,5	29	64,5	M16x1,5	M8x1,25	17	24	37
63	20	32	45	G 3/8"	56,5	8	121	16	4	39	29	78	M16x1,5	M8x1,25	17	24	37
80	25	40	45	G 3/8"	72	9	128	18	4	39	35	95,5	M20x1,5	M10x1,5	22	30	46
100	25	40	55	G 1/2"	89	9	138	18	4	44	35	114,5	M20x1,5	M10x1,5	22	30	51
125	32	54	60	G 1/2"	110	14	160	22	10	44,5	41	143	M27x2	M12x1,75	27	38,1	65

Curso Regulável no Avanço




øCIL	øHaste	AM	C	øD	øD1	EE	øF	K	L	L1	L2	L3	L4	øN	R	R1	SW	Sw1	WH
32	12	22	26,5	30	30	G 1/8"	32,5	6	94	16	4	29	19,5	47	M10x1,25	M6x1	10	17	26
40	16	24	29	35	35	G 1/4"	38	7	105	16	4	29,5	22	53,5	M12x1,25	M6x1	13	19	30
50	20	32	54	40	44	G 1/4"	46,5	8	106	16	4	32,5	29	64,5	M16x1,5	M8x1,25	17	24	37
63	20	32	54	45	44	G 3/8"	56,5	8	121	16	4	39	29	78	M16x1,5	M8x1,25	17	24	37
80	25	40	60	45	44	G 3/8"	72	9	128	18	4	39	35	95,5	M20x1,5	M10x1,5	22	30	46
100	25	40	60	55	44	G 1/2"	89	9	138	18	4	44	35	114,5	M20x1,5	M10x1,5	22	30	51
125	32	54	65	60	55	G 1/2"	110	14	160	22	10	44,5	41	143	M27x2	M12x1,75	27	38,1	65

Série NCP ISO 15552 Tirantado $\varnothing 32$ à 125mm


DIMENSIONAL

Dimensional Duplex Contínuo



ØCIL	ØHaste	AM	ØD	EE	ØF	K	L0	L1	L2	L3	L4	ØN	R	R1	SW	SW1	WH
32	12	22	30	G 1/8"	32,5	6	159	16	4	29	19,5	47	M10x1,25	M6x1	10	17	26
40	16	24	35	G 1/4"	38	7	181	16	4	29,5	22	53,5	M12x1,25	M6x1	13	19	30
50	20	32	40	G 1/4"	46,5	8	180	16	4	32,5	29	64,5	M16x1,5	M8x1,25	17	24	37
63	20	32	45	G 3/8"	56,5	8	203	16	4	39	29	78	M16x1,5	M8x1,25	17	24	37
80	25	40	45	G 3/8"	72	9	217	18	4	39	35	95,5	M20x1,5	M10x1,5	22	30	46
100	25	40	55	G 1/2"	89	9	232	18	4	44	35	114,5	M20x1,5	M10x1,5	22	30	51
125	32	54	60	G 1/2"	110	14	272	22	10	44,5	41	143	M27x2	M12x1,75	27	38,1	65

Dimensional Duplex Geminado



ØCIL	ØHaste	AM	B	ØD	EE	ØF	K	L	L1	L2	L3	L4	ØN	R	R1	SW	SW1	WH
32	12	22	11	30	G 1/8"	32,5	6	94	16	4	29	19,5	47	M10x1,25	M6x1	10	17	26
40	16	24	11	35	G 1/4"	38	7	105	16	4	29,5	22	53,5	M12x1,25	M6x1	13	19	30
50	20	32	13	40	G 1/4"	46,5	8	106	16	4	32,5	29	64,5	M16x1,5	M8x1,25	17	24	37
63	20	32	13	45	G 3/8"	56,5	8	121	16	4	39	29	78	M16x1,5	M8x1,25	17	24	37
80	25	40	13	45	G 3/8"	72	9	128	18	4	39	35	95,5	M20x1,5	M10x1,5	22	30	46
100	25	40	13	55	G 1/2"	89	9	138	18	4	44	35	114,5	M20x1,5	M10x1,5	22	30	51
125	32	54	15	60	G 1/2"	110	14	160	22	10	44,5	41	143	M27x2	M12x1,75	27	38,1	65